



Lesmahagow High School
Mathematics Department

National 5

Algebra Fractions

Corrective Actions

WORKSHEETS

Algebraic Fractions	
Simplifying Algebraic Fractions	<p>Step 1: Factorise expression</p> <p>Step 2: Look for common factors.</p> <p>Step 3: Cancel and simplify</p> $\frac{6x^2 - 12x}{x^2 + x - 6} = \frac{6x\cancel{(x-2)}}{(x+3)\cancel{(x-2)}} = \frac{6x}{x+3}$
Add and Subtract Fractions	<p>Find a common denominator. This can be done either by working out the lowest common denominator, or by using Smile and Kiss</p> $\frac{5a}{b} + \frac{3d}{2c} = \frac{10ac}{2bc} + \frac{3bd}{2bc} = \frac{10ac + 3bd}{2bc}$
Multiply Fractions	<p>Multiply top with top, bottom with bottom:</p> $\frac{3a}{7c} \times \frac{4b}{5d} = \frac{12ab}{35cd}$
Divide Fractions	<p>Invert second fraction and multiply:</p> $\frac{6x^2}{7y} \div \frac{4x}{3z} = \frac{6x^2}{7y} \times \frac{3z}{4x} = \frac{18x^2z}{28xy} = \frac{9xz}{14y}$



Lesmahagow High School
Mathematics Department

N5

Algebraic

Fractions

<https://www.national5maths.co.uk/free-national-5-maths-2/>

REDUCING an ALGEBRAIC FRACTION to SIMPLEST FORM

1. Express these fractions in their simplest form:

(a) $\frac{3}{6}$

(b) $\frac{8}{12}$

(c) $\frac{30}{16}$

(d) $\frac{54}{72}$

(e) $\frac{10a}{5}$

(f) $\frac{9b}{6}$

(g) $\frac{18}{12x}$

(h) $\frac{25}{15y}$

(i) $\frac{4c}{16c^2}$

(j) $\frac{32a}{8a^3}$

(k) $\frac{13p^2}{52p^3}$

(l) $\frac{36ab}{6bc}$

(m) $\frac{4a}{2a^2}$

(n) $\frac{10x^2}{12xy}$

(o) $\frac{3v^2t}{9vt^2}$

(p) $\frac{10ab^3}{2a^2b}$

(q) $\frac{30p^2q}{25pq^2}$

(r) $\frac{81x^2y^2}{6y^2}$

(s) $\frac{42mn^2}{56mn}$

(t) $\frac{8def^2}{10e^2f}$

(u) $\frac{3ab^2c}{4a^2c}$

(v) $\frac{4k^2m}{28km^2}$

(w) $\frac{5efg^2}{10e^2fg^3}$

(x) $\frac{21xy^2}{36x^3}$

2. Simplify by first finding the common factor:

(a) $\frac{3a + 6b}{6}$

(b) $\frac{4x + 12y}{2}$

(c) $\frac{3a + a^2}{ab}$

(d) $\frac{xy + y^2}{2y}$

(e) $\frac{xy + x^2}{6x + xy}$

(f) $\frac{3ab + 6b^2}{9b^2}$

(g) $\frac{25b^2 + 15b^3}{10b}$

(h) $\frac{14p + 10q}{2s}$

(i) $\frac{3a}{2ab - ac}$

(j) $\frac{6x}{9x + 9y}$

(k) $\frac{2st}{6rs - 2st}$

(l) $\frac{5c}{10ac + 15bc}$

(m) $\frac{14p + 28p^2}{8 + 16p}$

(n) $\frac{8c + 4d}{6ac + 3ad}$

(o) $\frac{8n^2 - 2n}{12n - 3}$

(p) $\frac{15x^2 + 6xy}{10x + 4y}$

3. Simplify the following by first factorising the numerator and/or denominator:

(a) $\frac{b^2 - 4}{b + 2}$ (b) $\frac{x^2 - 81}{x - 9}$ (c) $\frac{a^2 - 25}{a + 5}$ (d) $\frac{y^2 - 36}{y + 6}$

(e) $\frac{c^2 - 49}{2c - 14}$ (f) $\frac{a^2 - 64}{2a + 16}$ (g) $\frac{p^2 - 1}{5p - 5}$ (h) $\frac{q^2 - 9}{3q + 9}$

(i) $\frac{a^2 - b^2}{3a + 3b}$ (j) $\frac{x^2 - y^2}{5x - 5y}$ (k) $\frac{2m^2 - 18}{2m + 6}$ (l) $\frac{3d^2 - 48}{12d - 48}$

(m) $\frac{x^2 + 3x + 2}{x + 1}$ (n) $\frac{p - 1}{p^2 - 2p + 1}$ (o) $\frac{ax - 5a}{x^2 - 25}$ (p) $\frac{a^2 - 1}{a^2 + 2a + 1}$

(q) $\frac{b^2 + 6p - 9}{b^2 - 9}$ (r) $\frac{c^2 + 2c - 15}{c^2 - 25}$ (s) $\frac{3x^2 + 5x - 2}{x^2 - 4}$

(t) $\frac{y^2 + 6y + 8}{y^2 + y - 12}$ (u) $\frac{p^2 - 4p - 5}{p^2 + 2p + 1}$ (v) $\frac{c^2 + 4c - 32}{c^2 + c - 56}$

(w) $\frac{2x^2 + 13x + 6}{x^2 + 9x + 18}$ (x) $\frac{6a^2 - 13a - 5}{3a^2 - 11a - 4}$ (y) $\frac{10b^2 - 33b - 7}{10b^2 - 37b + 7}$

APPLYING the FOUR OPERATIONS to ALGEBRAIC FRACTIONS

1. Express each sum as a fraction in its simplest form:

(a) $\frac{1}{5} + \frac{3}{5}$	(b) $\frac{2}{5} + \frac{1}{10}$	(c) $\frac{3}{4} + \frac{1}{8}$	(d) $\frac{1}{6} + \frac{2}{3}$
(e) $\frac{1}{9} + \frac{2}{3}$	(f) $\frac{1}{3} + \frac{1}{4}$	(g) $\frac{3}{5} + \frac{1}{4}$	(h) $\frac{1}{4} + \frac{1}{6}$
(i) $\frac{1}{3} + \frac{5}{8}$	(j) $\frac{1}{2} + \frac{2}{5}$	(k) $\frac{3}{4} + \frac{1}{6}$	(l) $\frac{1}{2} + \frac{3}{7}$
(m) $\frac{2}{7} + \frac{1}{8}$	(n) $\frac{1}{5} + \frac{3}{8}$	(o) $\frac{2}{9} + \frac{3}{7}$	(p) $\frac{1}{3} + \frac{4}{7}$

2. Express each difference as a fraction in its simplest form:

(a) $\frac{3}{4} - \frac{1}{4}$	(b) $\frac{1}{2} - \frac{1}{6}$	(c) $\frac{5}{6} - \frac{2}{3}$	(d) $\frac{11}{12} - \frac{5}{6}$
(e) $\frac{11}{12} - \frac{2}{3}$	(f) $\frac{1}{2} - \frac{1}{16}$	(g) $\frac{2}{3} - \frac{1}{4}$	(h) $\frac{1}{2} - \frac{2}{5}$
(i) $\frac{4}{5} - \frac{1}{2}$	(j) $\frac{7}{8} - \frac{3}{16}$	(k) $\frac{11}{12} - \frac{1}{3}$	(l) $\frac{7}{12} - \frac{1}{3}$
(m) $\frac{5}{8} - \frac{2}{5}$	(n) $\frac{5}{6} - \frac{3}{5}$	(o) $\frac{7}{9} - \frac{3}{7}$	(p) $\frac{5}{8} - \frac{7}{16}$

3. Express each product as a fraction in its simplest form:

(a) $\frac{1}{4} \times \frac{4}{7}$	(b) $\frac{1}{3} \times \frac{3}{10}$	(c) $\frac{1}{2} \times \frac{4}{7}$	(d) $\frac{2}{3} \times \frac{1}{8}$
(e) $\frac{4}{5} \times \frac{1}{16}$	(f) $\frac{6}{7} \times \frac{2}{3}$	(g) $\frac{3}{5} \times \frac{10}{21}$	(h) $\frac{3}{8} \times \frac{4}{21}$
(i) $\frac{21}{32} \times \frac{4}{7}$	(j) $\frac{1}{9} \times \frac{12}{13}$	(k) $\frac{5}{16} \times \frac{6}{25}$	(l) $\frac{5}{7} \times \frac{14}{15}$
(m) $\frac{7}{9} \times \frac{12}{35}$	(n) $\frac{12}{13} \times \frac{39}{48}$	(o) $\frac{2}{3} \times \frac{5}{9}$	(p) $\frac{5}{8} \times \frac{11}{15}$

4. Express as a single fraction:

(a) $\frac{1}{4} \div \frac{1}{3}$

(b) $\frac{2}{5} \div \frac{2}{7}$

(c) $\frac{4}{5} \div \frac{3}{4}$

(d) $\frac{3}{7} \div \frac{2}{5}$

(e) $\frac{5}{12} \div \frac{5}{3}$

(f) $\frac{5}{9} \div \frac{1}{3}$

(g) $\frac{2}{5} \div \frac{9}{10}$

(h) $\frac{3}{7} \div \frac{11}{14}$

(i) $\frac{4}{9} \div \frac{2}{3}$

(j) $\frac{2}{5} \div \frac{4}{5}$

(k) $\frac{24}{35} \div \frac{20}{21}$

(l) $\frac{6}{25} \div \frac{9}{20}$

(m) $\frac{8}{21} \div \frac{9}{14}$

(n) $\frac{10}{21} \div \frac{8}{9}$

(o) $\frac{20}{33} \div \frac{15}{44}$

(p) $\frac{7}{30} \div \frac{5}{20}$

5. Express each sum as a fraction in its simplest form:

(a) $\frac{a}{5} + \frac{a}{5}$

(b) $\frac{2b}{5} + \frac{b}{10}$

(c) $\frac{3x}{4} + \frac{x}{8}$

(d) $\frac{p}{6} + \frac{2p}{3}$

(e) $\frac{y}{9} + \frac{2y}{3}$

(f) $\frac{3}{m} + \frac{2}{m}$

(g) $\frac{5}{x} + \frac{1}{x}$

(h) $\frac{2}{a} + \frac{5}{2a}$

(i) $\frac{4}{3y} + \frac{3}{y}$

(j) $\frac{8}{p} + \frac{3}{5p}$

(k) $\frac{3}{a} + \frac{2}{b}$

(l) $\frac{5}{x} + \frac{3}{y}$

(m) $\frac{2}{m} + \frac{7}{n}$

(n) $\frac{4}{p} + \frac{3}{q}$

(o) $\frac{9}{c} + \frac{7}{d}$

(p) $\frac{3}{2x} + \frac{2}{3y}$

(q) $\frac{4}{3a} + \frac{5}{2b}$

(r) $\frac{2}{3a} + \frac{9}{3b}$

(s) $\frac{5}{4m} + \frac{3}{2n}$

(t) $\frac{7}{3p} + \frac{2}{6q}$

(u) $\frac{1}{a} + \frac{2}{a^2}$

(v) $\frac{5}{x^2} + \frac{3}{x}$

(w) $\frac{3}{3b} + \frac{4}{b^2}$

(x) $\frac{8}{2m} + \frac{5}{3m^2}$

6. Express each difference as a fraction in its simplest form:

(a) $\frac{3a}{5} - \frac{a}{5}$

(b) $\frac{2b}{5} - \frac{b}{10}$

(c) $\frac{3x}{4} - \frac{x}{8}$

(d) $\frac{5p}{6} - \frac{2p}{3}$

(e) $\frac{8y}{9} + \frac{2y}{3}$

(f) $\frac{5}{m} - \frac{2}{m}$

(g) $\frac{7}{x} - \frac{3}{x}$

(h) $\frac{5}{a} - \frac{1}{2a}$

(i) $\frac{8}{3y} - \frac{2}{y}$

(j) $\frac{8}{p} - \frac{3}{5p}$

(k) $\frac{3}{a} - \frac{2}{b}$

(l) $\frac{5}{x} - \frac{3}{y}$

6. (continued)

(m) $\frac{7}{m} - \frac{2}{n}$	(n) $\frac{4}{p} - \frac{3}{q}$	(o) $\frac{9}{c} - \frac{7}{d}$	(p) $\frac{3}{2x} - \frac{2}{3y}$
(q) $\frac{5}{3a} - \frac{3}{2b}$	(r) $\frac{5}{3a} - \frac{2}{3b}$	(s) $\frac{5}{4m} - \frac{3}{2n}$	(t) $\frac{7}{3p} - \frac{2}{6q}$
(u) $\frac{1}{a} - \frac{2}{a^2}$	(v) $\frac{7}{x^2} - \frac{3}{x}$	(w) $\frac{4}{3b} - \frac{3}{b^2}$	(x) $\frac{7}{2p^2} - \frac{4}{3p}$

7. Express each product as a fraction in its simplest form

(a) $\frac{x}{3} \times \frac{x}{6}$	(b) $\frac{y}{2} \times \frac{y}{4}$	(c) $\frac{a}{2} \times \frac{b}{7}$	(d) $\frac{p}{3} \times \frac{q}{8}$
(e) $\frac{c^2}{5} \times \frac{c}{6}$	(f) $\frac{6}{a} \times \frac{2}{a}$	(g) $\frac{3}{x} \times \frac{10}{y}$	(h) $\frac{3}{p} \times \frac{4}{p}$
(i) $\frac{2}{3m} \times \frac{4}{5m}$	(j) $\frac{1}{b} \times \frac{11}{3c}$	(k) $\frac{5m}{6} \times \frac{3}{2m}$	(l) $\frac{5}{7x} \times \frac{4x}{3}$
(m) $\frac{2y}{9} \times \frac{12}{5y^2}$	(n) $\frac{2}{3a} \times \frac{3}{7a^2}$	(o) $\frac{5}{3p} \times \frac{2}{p^3}$	(p) $\frac{3t^2}{5s} \times \frac{2s^2}{6t^3}$
(q) $\frac{5pq}{2} \times \frac{3}{4pq^2}$	(r) $\frac{7ab^2}{6c} \times \frac{2c^3}{3a^2}$	(s) $\frac{4}{5mn} \times \frac{2m^4}{n^2}$	
(t) $\frac{4yz}{9x} \times \frac{3xz}{2y^3}$	(u) $\frac{5ab^3}{3c} \times \frac{3a}{2bc^2}$	(v) $\frac{2cd}{7a} \times \frac{3a^2}{4cd^2}$	
(w) $\frac{10xy^2}{3} \times \frac{12xy}{5y^2}$	(x) $\frac{3}{8s^3} \times \frac{4st}{t^3}$	(y) $\frac{4pq^2}{3a} \times \frac{6a^2}{5p^3}$	

8. Express as a single fraction:

(a) $\frac{a}{4} \div \frac{a}{2}$	(b) $\frac{x}{2} \div \frac{y}{2}$	(c) $\frac{ab}{5} \div \frac{a}{2}$
(d) $\frac{p^2}{10} \div \frac{p}{5}$	(e) $\frac{2c}{3} \div \frac{c^2}{6}$	(f) $\frac{3}{t} \div \frac{6}{t}$

8. (continued)

(g) $\frac{2}{k} \div \frac{4}{m}$

(h) $\frac{3}{y} \div \frac{9}{y^2}$

(i) $\frac{4}{bc} \div \frac{2}{c}$

(j) $\frac{3}{2x} \div \frac{12}{x^2}$

(k) $\frac{24xy}{35z} \div \frac{20xy}{21z}$

(l) $\frac{6q^2}{25p} \div \frac{9q}{20p^2}$

(m) $\frac{8ab}{21c} \div \frac{9b}{14ac}$

(n) $\frac{10m}{21n^2} \div \frac{8mn}{9}$

(o) $\frac{20ax}{33y} \div \frac{15x}{44ay^2}$

9. Simplify the following:

(a) $\frac{x+2}{3} + \frac{x+3}{6}$

(b) $\frac{a+6}{4} + \frac{a-2}{3}$

(c) $\frac{d-3}{2} - \frac{d+2}{6}$

(d) $\frac{2a-1}{4} - \frac{a+2}{5}$

(e) $\frac{a+3b}{2} + \frac{a-2b}{4}$

(f) $\frac{2u+v}{3} - \frac{u-v}{4}$

(g) $\frac{2}{x+3} + \frac{3}{x+2}$

(h) $\frac{4}{x+5} + \frac{5}{x+1}$

(i) $\frac{7}{x-3} + \frac{4}{x+2}$

(j) $\frac{2}{x+4} - \frac{3}{x-3}$

(k) $\frac{1}{x-3} - \frac{5}{x-2}$

(l) $\frac{2}{x-5} - \frac{3}{x-4}$



Lesmahagow High School
Mathematics Department

N5

Solutions

<https://www.national5maths.co.uk/free-national-5-maths-2/>

REDUCING an ALGEBRAIC FRACTION to SIMPLEST FORM

1. (a) $\frac{1}{2}$ (b) $\frac{2}{3}$ (c) $\frac{15}{8}$ (d) $\frac{3}{4}$ (e) $2a$ (f) $\frac{3b}{2}$
(g) $\frac{3}{2x}$ (h) $\frac{5}{3y}$ (i) $\frac{1}{4c}$ (j) $\frac{4}{a^2}$ (k) $\frac{1}{4p}$ (l) $\frac{6a}{c}$
(m) $\frac{2}{a}$ (n) $\frac{5x}{6y}$ (o) $\frac{v}{3t}$ (p) $\frac{5b^2}{a}$ (q) $\frac{6p}{5q}$ (r) $\frac{27x^2}{2}$
(s) $\frac{3n}{4}$ (t) $\frac{4df}{5e}$ (u) $\frac{3b^2}{4a}$ (v) $\frac{k}{7m}$ (w) $\frac{1}{2eg}$ (x) $\frac{7y^2}{12x^2}$
2. (a) $\frac{a+2b}{2}$ (b) $2(2x+3y)$ (c) $\frac{3+a}{b}$ (d) $\frac{x+y}{2}$
(e) $\frac{y+x}{6+y}$ (f) $\frac{a+2b}{3b}$ (g) $\frac{5b+3b^2}{2}$ (h) $\frac{7p+5q}{s}$
(i) $\frac{3}{2b-c}$ (j) $\frac{2x}{3(x+y)}$ (k) $\frac{t}{3r-t}$ (l) $\frac{1}{2a+3b}$
(m) $\frac{7p}{4}$ (n) $\frac{4}{3a}$ (o) $\frac{2n}{3}$ (p) $\frac{3x}{2}$
3. (a) $b-2$ (b) $x+9$ (c) $a-5$ (d) $y-6$ (e) $\frac{c+7}{2}$ (f) $\frac{a-8}{2}$
(g) $\frac{p+1}{5}$ (h) $\frac{q-3}{3}$ (i) $\frac{a-b}{3}$ (j) $\frac{x+y}{5}$ (k) $m-3$ (l) $\frac{d+4}{4}$
(m) $x+2$ (n) $\frac{1}{p-1}$ (o) $\frac{a}{x+5}$ (p) $\frac{a-1}{a+1}$ (q) $\frac{b-3}{b+3}$ (r) $\frac{c-3}{c-5}$
(s) $\frac{3x-1}{x-2}$ (t) $\frac{y+2}{y-3}$ (u) $\frac{p-5}{p+1}$ (v) $\frac{c-4}{c-7}$ (w) $\frac{2x+1}{x+3}$ (x) $\frac{2a-5}{a-4}$
(y) $\frac{5b+1}{5b-1}$

APPLYING the FOUR OPERATIONS to ALGEBRAIC FRACTIONS

1. (a) $\frac{4}{5}$ (b) $\frac{1}{2}$ (c) $\frac{7}{8}$ (d) $\frac{5}{6}$ (e) $\frac{7}{9}$ (f) $\frac{7}{12}$
 (g) $\frac{17}{20}$ (h) $\frac{5}{12}$ (i) $\frac{23}{24}$ (j) $\frac{9}{10}$ (k) $\frac{11}{12}$ (l) $\frac{13}{14}$
 (m) $\frac{23}{56}$ (n) $\frac{23}{40}$ (o) $\frac{41}{63}$ (p) $\frac{19}{21}$

2. (a) $\frac{1}{2}$ (b) $\frac{1}{3}$ (c) $\frac{1}{6}$ (d) $\frac{1}{12}$ (e) $\frac{1}{4}$ (f) $\frac{7}{16}$
 (g) $\frac{5}{12}$ (h) $\frac{1}{10}$ (i) $\frac{3}{10}$ (j) $\frac{11}{16}$ (k) $\frac{7}{12}$ (l) $\frac{1}{4}$
 (m) $\frac{9}{40}$ (n) $\frac{7}{30}$ (o) $\frac{22}{63}$ (p) $\frac{3}{16}$

3. (a) $\frac{1}{7}$ (b) $\frac{1}{10}$ (c) $\frac{2}{7}$ (d) $\frac{1}{12}$ (e) $\frac{1}{20}$ (f) $\frac{4}{7}$
 (g) $\frac{2}{7}$ (h) $\frac{1}{14}$ (i) $\frac{3}{8}$ (j) $\frac{4}{39}$ (k) $\frac{3}{40}$ (l) $\frac{2}{3}$
 (m) $\frac{4}{15}$ (n) $\frac{3}{4}$ (o) $\frac{10}{27}$ (p) $\frac{11}{24}$

4. (a) $\frac{3}{4}$ (b) $\frac{7}{5}$ (c) $\frac{16}{15}$ (d) $\frac{15}{14}$ (e) $\frac{1}{4}$ (f) $\frac{5}{3}$
 (g) $\frac{4}{9}$ (h) $\frac{6}{11}$ (i) $\frac{2}{3}$ (j) $\frac{1}{2}$ (k) $\frac{18}{25}$ (l) $\frac{8}{15}$
 (m) $\frac{16}{27}$ (n) $\frac{15}{28}$ (o) $\frac{16}{9}$ (p) $\frac{14}{15}$

5. (a) $\frac{2a}{5}$ (b) $\frac{b}{2}$ (c) $\frac{7x}{8}$ (d) $\frac{5p}{6}$ (e) $\frac{7y}{9}$ (f) $\frac{5}{m}$
 (g) $\frac{6}{x}$ (h) $\frac{9}{2a}$ (i) $\frac{13}{3y}$ (j) $\frac{43}{5p}$ (k) $\frac{3b+2a}{ab}$ (l) $\frac{5y+3x}{xy}$
 (m) $\frac{2n+7m}{mn}$ (n) $\frac{4q+3p}{pq}$ (o) $\frac{9d+7c}{cd}$ (p) $\frac{9y+4x}{6xy}$
 (q) $\frac{8b+15a}{6ab}$ (r) $\frac{2b+9a}{3ab}$ (s) $\frac{5n+6m}{4mn}$ (t) $\frac{7q+p}{3pq}$
 (u) $\frac{2+a}{a^2}$ (v) $\frac{5+3x}{x^2}$ (w) $\frac{b+4}{b^2}$ (x) $\frac{12m+5}{3m^2}$

6. (a) $\frac{2a}{5}$ (b) $\frac{3b}{10}$ (c) $\frac{5x}{8}$ (d) $\frac{p}{6}$ (e) $\frac{2y}{9}$ (f) $\frac{3}{m}$

$$(g) \frac{4}{x} \quad (h) \frac{9}{2a} \quad (i) \frac{2}{3y} \quad (j) \frac{37}{5p} \quad (k) \frac{3b-2a}{ab} \quad (l) \frac{5y-3x}{xy}$$

$$(m) \frac{7n-2m}{mn} \quad (n) \frac{4q-3p}{pq} \quad (o) \frac{9d-7c}{cd} \quad (p) \frac{9y-4x}{6xy}$$

$$(q) \frac{10b-9a}{6ab} \quad (r) \frac{5b-2a}{3ab} \quad (s) \frac{5n-6m}{4mn} \quad (t) \frac{7q-p}{3pq}$$

$$(u) \frac{a-2}{a^2} \quad (v) \frac{7-3x}{x^2} \quad (w) \frac{4b-9}{3b^2} \quad (x) \frac{21-8p}{6p^2}$$

$$7. \quad (a) \frac{x^2}{18} \quad (b) \frac{y^2}{8} \quad (c) \frac{ab}{14} \quad (d) \frac{pq}{24} \quad (e) \frac{c^3}{30} \quad (f) \frac{12}{a^2}$$

$$(g) \frac{30}{xy} \quad (h) \frac{12}{p^2} \quad (i) \frac{8}{15m^2} \quad (j) \frac{11}{3bc} \quad (k) \frac{5}{4} \quad (l) \frac{20}{21}$$

$$(m) \frac{8}{15y} \quad (n) \frac{2}{7a^3} \quad (o) \frac{10}{3p^4} \quad (p) \frac{s}{5t} \quad (q) \frac{15}{8q} \quad (r) \frac{7b^2c^2}{9a}$$

$$(s) \frac{8m^3}{5n^3}$$

$$(t) \frac{2z^2}{3y^2} \quad (u) \frac{5a^2b^2}{2c^3} \quad (v) \frac{3a}{14d}$$

$$(w) 8x^2y \quad (x) \frac{3}{2s^2t^2} \quad (y) \frac{8q^2a}{5p^2}$$

$$8. \quad (a) \frac{1}{2} \quad (b) \frac{x}{y} \quad (c) \frac{2b}{5} \quad (d) \frac{p}{2} \quad (e) \frac{4}{c} \quad (f) \frac{1}{2}$$

$$(g) \frac{m}{2k} \quad (h) \frac{y}{3} \quad (i) \frac{2}{b} \quad (j) \frac{x}{8} \quad (k) \frac{18}{25} \quad (l) \frac{8pq}{15}$$

$$(m) \frac{16a^2}{27} \quad (n) \frac{15}{28n^3} \quad (o) \frac{16a^2y}{9}$$

9. (a) $\frac{3x+7}{6}$ (b) $\frac{7a+10}{12}$ (c) $\frac{2d-11}{6}$ (d) $\frac{6a-13}{20}$
(e) $\frac{3a+4b}{4}$ (f) $\frac{5u+7v}{12}$ (g) $\frac{5x+13}{(x+3)(x+2)}$ (h) $\frac{9x+29}{(x+5)(x+1)}$
(i) $\frac{11x+2}{(x-3)(x+2)}$ (j) $\frac{-x-18}{(x+4)(x-3)}$ (k) $\frac{13-4x}{(x-3)(x-2)}$ (l) $\frac{7-x}{(x-5)(x-4)}$